

GPLUS EDUCATION

Date :
Time :
Marks :

BIOLOGY


BIOTECHNOLOGY PRINCIPLES AND PROCESSES

Single Correct Answer Type

1. First hormone prepared by genetic engineering is:
a) Insulin b) Oxytocin c) Adrenaline d) Somatotropin
2. Retroviruses in animals including humans are able to change normal cells into
a) Germ cell b) Cancerous cells c) Cosmid d) Vector
3. The restriction enzyme responsible for the cleavage of following sequence is
5' – G – T – C – G – A – C – 3'
3' – C – A – G – C – T – G – 5'
a) *Alu*I b) *Bam* HI c) *Hind* II d) *Eco* RI
4. pBR322 was the first artificial cloning vector developed in ...A... by ...B... and ...C... from *E. coli* plasmid. Here A, B and C can be
a) A-1976, B-Boliver, C-Rodriquez b) A-1975, B-Tiselius, C-Rodriquez
c) A-1977, B-Boliver, C-Rodriquez d) A-1978, B-HO Smith, C-KW Wileox
5. Transfer of any gene into a completely different organism can be done through
a) Genetic engineering b) Tissue culture c) Transformation d) None of these
6. An environmental agent that triggers transcription from an operon is a:
a) Depressor b) Inducer c) Regulator d) Controlling element
7. Recombinant DNA have integrated fragment of
a) Antibiotic resistant gene b) Diseases resistant gene
c) Allergy resistant gene d) All of these
8. In plants, the tumour inducing plasmid (Ti) of *Agrobacterium tumefaciens* is used as a cloning vector. This statement is
a) True b) False
c) Sometimes (a) and sometimes (b) d) Neither (a) nor (b)
9. If recombinant DNA carrying antibiotic resistance (*e. g.*, ampicillin) is transferred into *E. coli* cell, the host cell is transformed into ampicillin-resistant cells. The ampicillin resistant gene in this case is called a
a) Vectors b) Plasmid c) Selectable marker d) Cloning sites
10. Boviene spongiform encephalopathy disease is equal to:
a) Kala Azar b) Parkinson's disease
c) Creutzfeldt-Jacob disease d) None of the above
11. Known sequence of DNA that is used to find complementary DNA strand is:
a) Vector b) Plasmid c) DNA probe d) Recombinant DNA
12. Proteins are removed by treatment with
a) Ribonuclease b) Chitinase c) Cellulase d) Protease
13. Which of the following key factors, makes plasmid, the vector in genetic engineering?
a) It is resistant to antibiotics b) It is resistant to restriction enzymes
c) Its ability to carry a foreign gene d) Its ability to cause infection in the host
14. I. *Ori* also controls the copy numbers of the linked DNA
II. If a foreign DNA ligates at the *Bam* HI site of tetracycline resistance gene in the vector pBR322, the recombinant plasmid loses the tetracycline resistance due to insertion of foreign DNA
Choose regarding the above statements
a) I is true, II is false b) II is true, I is false c) Both are true d) Both are false
15. When scientists make an animal superior by view of genotype, introducing some foreign genes in it, the

phenomenon is called:


- a) Tissue culture b) Biotechnology c) Genetic engineering d) Immunisation
16. Many copies of a DNA molecule in a test tube are produced by:
a) Polymerase chain reaction (PCR) b) Molecular chain reaction (MCR)
c) Ephemeral chain reaction (ECR) d) All of them
17. Producing a 'giant mouse' in the laboratory was possible through:
a) Gene mutation b) Gene duplication c) Gene synthesis d) Gene manipulation
18. Downstream process includes
I. Separation of the product from the reactor
II. Purification of the product
III. Formation of the product with suitable preservatives
IV. Quality control testing and clinical trials in case of drugs
Which of the statements given above are correct?
a) I, II and III b) I, II and IV c) II, III and IV d) I, II, III and IV
19. More advancement in genetic engineering is due to
a) Restriction endonuclease b) Reverse transcription
c) Protease d) Zymase
20. Plasmid are suitable vectors for gene cloning because
a) These are small circular DNA molecules, which can integrate with host chromosomal DNA
b) These are small circular DNA molecules with their own replication origin site
c) These can shuttle between prokaryotic and eukaryotic cells
d) These often carry antibiotic resistance genes
21. Polymerase chain reaction is useful in
a) DNA synthesis b) DNA amplification
c) Protein synthesis d) Amino acid synthesis
22. Study the following diagram and identify *A*, *B* and *C*



- a) A-*Taq* polymerase, B-Denaturation at 94°C, C-Primer
b) A-Denaturation at 94°C, B-*Taq* polymerase, C-Primer
c) A-Primer, B-Denaturation at 94°C, C-*Taq* polymerase
d) A-*Taq* polymerase, B-Extension, C-Transformation
23. A bioreactor is
a) Hybridoma b) Culture containing radioactive isotopes
c) Culture for synthesis of new chemicals d) Fermentation tank
24. Which of the following techniques can be used to detect genetic disorders in human?
a) Polymerase Chain Reaction (PCR) b) Gel electrophoresis
c) Spectroscopy d) All of the above
25. Special sequence in the DNA recognized by restriction endonuclease is called
a) Restriction nucleotide sequence b) Palindromic nucleotide sequence
c) Recognition nucleotide sequence d) All of the above
26. Primers are
a) Small chemically synthesized oligonucleotides of about 10-18 nucleotides that are complementary to the region of template DNA
b) Chemically synthesized oligonucleotides of about 10-18 nucleotides that are not complementary to the region of template DNA


- c) The double-stranded DNA that need to the amplified
d) Specific sequences present on recombinant DNA
27. This method of finding a gene is used when researchers very little about the gene they are trying to find. This process results in a complete gene library : a collection of copies of DNA fragments that represent the entire genome of an organism. Identify the method
a) Cloning b) Shotgun cloning c) Gene synthesis d) Cloning
28. Consider the following statement about PCR
I. Polymerase Chain Reaction (PCR) is a technique of synthesizing multiple copies of the desired gene in *vitro*
II. This technique was developed by Kary Mullis in 1985
III. A single PCR amplification cycle involves three basic steps; denaturation, annealing and extension
Which of the statement given above are correct?
a) I and II b) I and III c) II and III d) I, II and III
29. A somatic plant cell has potential to develop into a full plant. This is called:
a) Totipotency b) Gene cloning c) Tissue culture d) Regeneration
30. *Ori* is a DNA sequence that is responsible for initiating replication. This statement is
a) True b) False
c) Sometimes (a) and sometimes (b) d) Neither (a) nor (b)
31. Plasmids are autonomously replicating circular extrachromosomal DNA. This statement is
a) True b) False
c) Sometimes (a) and sometimes (b) d) Neither (a) nor (b)
32. Genetic engineering is possible because:
a) The phenomenon of transduction in bacteria is well understood
b) We can see DNA by electron microscope
c) We can cut DNA at specific sites by endonucleases like DNA ase I
d) Restriction endonucleases purified form bacteria can be used in vitro
33. A single PCR amplification cycle involves
a) Denaturation b) Annealing c) Extension d) All of these
34. DNA fingerprinting is related to:
a) Molecular analysis of profiles of DNA samples
b) Analysis of DNA samples using imprinting devices
c) Techniques used for molecular analysis of different specimens of DNA
d) Techniques used in identification of fingerprints of different persons
35. The basic of DNA fingerprinting is:
a) The double helix b) Errors in base sequence
c) Polymorphism in sequence d) DNA replication
36. In genetic engineering, the terms vector is applied for:
a) Plasmid b) Sources of DNA c) Cell which receives d) Virus
37. Which of the following are used to gene cloning?
a) Nucleoids b) Chromosomes c) Mesosomes d) Plasmid
38. The process that preserves the distribution of DNA fragments in the gel while creating replica on the filter is one of the following
a) Directed sequencing of BAC counting b) Random shotgun sequencing
c) Electrophoresis d) Southern blotting
39. Two enzymes responsible for restricting the growth of bacteriophages in *E. coli* were isolated. One was methylase and other was restriction endonuclease. What is the significance of methylase?
a) Protection of host DNA from the action of restriction endonuclease by adding methyl group to one or two bases usually with in the sequence recognized by restriction enzyme
b) Able to ligate the two cohesive ends of DNA molecule
c) Able to remove the methyl group and hence, prevent the action of restriction endonuclease on host DNA
d) Able to cut the DNA of bacteriophage at specific sites

40. Single-stranded DNA molecules that can bind to and be used to detect other DNA molecules are called
 a) Primer b) STRs c) RFLPs d) Probes
41. Which of the following enzyme is used in genetic engineering?
 a) Translocase b) Topoisomerase
 c) DNase d) Restriction endonuclease
42. The below diagram refer to PCR. Identify the steps A, B and C and select the correct option



- a) A-Denaturation of 94-96°C, B-Annealing of 40-60°C, C-Extension through *taq* polymerase at 72°C, D- Amplified
- b) A-Annealing of 94-96°C, B-Denaturation of 40-60°C, C-Extension through *taq* polymerase at 72°C, D- Amplified
- c) A-Extension through *taq* polymerase at 40-60°C, B-Amplified, C-Denaturation of 40-60°C, D-Annealing of 94-96°C
- d) A-Annealing, B-Extension through *taq* polymerase at 40-60°C, C-Denaturation of 94-96°C, D-Annealing of 40-60°C
43. The controlled use of biological agents, such as microorganism, plants or animal cell, for beneficial use is called
 a) Biochemistry b) Molecular biology c) Biotechnology d) Microbiology
44. Humulin is a:
 a) Pig insulin b) Human insulin c) Viral insulin d) Human clone
45. Find the incorrect statement:
 a) Gene therapy is a genetic engineering technique used to treat disease at molecular level by replacing defective genes with normal genes
 b) Calcitonin is a medically useful recombinant product in the treatment of infertility
 c) Bt toxin is a biodegradable insecticide obtained from *Bacillus thuringiensis*
 d) *Trichoderma* sp. is a biocontrol agent for fungal diseases of plants
46. Plasmids are extrachromosomal circular DNA molecules:
 a) Which have their own point of replication and can replicate independently
 b) Which have their own point of replication but cannot replicate independently
 c) Which do not have their own point of replication and cannot replicate independent of bacterial of bacterial chromosomal DNA
 d) None of the above
47. The genome map was produced under human genome project in:
 a) 1992 b) 1994 c) 1996 d) 2000
48. Term hybridoma implies:
 a) DNA-RNA hybrid b) Recombination of DNA molecules
 c) Somatic hybridisation d) Genetic fusion
49. Which of the following is a difficulty in getting prokaryotic cells to express eukaryotic genes?
 a) The signals that control gene expression are different and prokaryotic promoter regions must be added to the vector

- b) The genetic code differs between the two because prokaryotes substitute the base uracil for thymine
 c) Prokaryotic cells cannot transcribe introns because their genes do not have them
 d) The ribosomes of prokaryotes are not large enough to handle long eukaryotic genes
50. In transgenics, the expression of transgene in the target tissue is known by:
 a) Enhancer b) Transgene c) Promoter d) Reporter
51. Identify A, B, C and D in the given diagram of *E. coli* cloning vector pBR322




- a) A- *Eco* RI, B- *Bam* HI, C- Ori, D- *amp*^R b) A- *amp*^R, B- Ori, C- *Bam* HI, D- *Eco* RI
 c) A- Ori, B- *Bam* HI, C- *Eco* RI, D- *amp*^R d) A- *Bam* HI, B- *Eco* RI, C- *amp*^R, D- Ori
52. Consider the following statements
 I. In microinjection method foreign DNA is directly injected into the nucleus of animal cell or plant cell by using micro needles or micro pipettes
 II. Microinjection method is used in oocytes, eggs and embryo
 III. Electroporation is the formation of temporary pores in the plasma membrane of host cell by using lysozyme or calcium chloride
 IV. In chemical mediated gene transfer method certain chemicals such as CO₂ help foreign DNA to enter the host cell
 Which of the statements given above are correct?
 a) I and II b) I, II and III c) II, III and IV d) I, II, III and IV
53. The construction of the first recombinant DNA was done by using the native plasmid of:
 a) *E. coli* b) *Salmonella typhimurium*
 c) *B. thuringiensis* d) Yeast
54. Gene amplification using primers can be done by
 a) Microinjection b) ELISA
 c) Polymerase chain reaction d) Gene gun
55. Polyethylene glycol method is used for
 a) Biodiesel production b) Seedless fruit production
 c) Energy production from sewage d) Gene transfer without a vector
56. The enzymes, commonly used in genetic engineering are
 a) Restriction endonuclease and polymerase b) Endonuclease and ligase
 c) Restriction endonuclease and ligase d) Ligase and polymerase
57. Which one of the following techniques had helped to solve many mysteries involving murders, robberies and rapes?
 a) Gene splicing b) Computer technology
 c) DNA fingerprinting d) Gene cloning
58. Consider the following statements
 I. Recombinant DNA technology popularly known as genetic engineering is a stream of biotechnology which deals with the manipulation of genetic material by man *in vitro*
 II. pBR322 is the first artificial cloning vector developed in 1977 by Boliver and Rodriquez from *E. coli* plasmid
 III. Restriction enzymes belongs to a class of enzymes called nucleases
 Which of the statements given above are correct?
 a) I and II b) I and III c) II and III d) I, II and III

- I. DNA template
- II. Primer
- III. *Taq* polymerase and *vent* polymerase

Choose the correct option

- a) I, II and III b) I and II c) II and III d) II and III
71. The basis for DNA fingerprinting is:
- a) Occurrence of restriction fragment length polymorphism (RFLP)
 - b) Phenotypic differences between individuals
 - c) Availability of cloned DNA
 - d) Knowledge of human karyotype
72. In genetic engineering, a DNA segment (gene) of interest, is transferred to the host cell through a vector. Consider the following four agents (I-IV) in this regard and select the correct option about which one or more of these can be used as a vector/vectors
- I. Bacterium
 - II. Plasmid
 - III. *Plasmodium*
 - IV. Bacteriophage
- a) I, II and IV b) I only c) I and III d) II and IV
73. Transfer of any gene into a completely different organism can be done through
- a) Genetic engineering b) Tissue culture c) Transformation d) None of these
74. Thermostable enzymes '*taq*' and '*vent*' isolated from thermophilic bacteria are
- a) DNA polymerase b) DNA ligases
 - c) Restriction endonucleases d) RNA polymerases
75. Due to chloramphenicol resistance gene, one is able to select a transformed cell in the presence of chloramphenicol. The chloramphenicol resistance gene in this case is called
- a) Origin of replication b) Selectable marker
 - c) Cloning sites d) Insertional inactivation
76. GAATTC is the recognition site for the restriction endonuclease
- a) *Eco* RI b) *Hind* II c) *Eco* RII d) *Bam* HI
77. Plasmid is
- a) An autonomously replicating circular extrachromosomal DNA
 - b) An autonomously replicating circular extrachromosomal RNA
 - c) An circular protein molecules
 - d) An autonomously replicating chromosomal DNA
78. The polymerase chain reaction is a technique that is used for
- a) *In vivo* replication of DNA
 - b) *In vivo* synthesis of mRNA
 - c) *In vitro* synthesis of mRNA
 - d) *In vitro* replication of specific DNA sequence using thermostable DNA polymerase
79. Yeast has become important in genetic engineering because it:
- a) Has plasmids that can be genetically engineered
 - b) Allows the study of eukaryotic gene regulation and expression
 - c) Grows readily and rapidly in the laboratory
 - d) All of the above
80. The genome of *Caenorhabditis elegans* consists of:
- a) 3 billion base pairs and 30,000 genes b) 12 million base pairs and 6,000 genes
 - c) 4.7 million base pairs and 4,000 genes d) 97 million base pairs and 18,000 genes
81. Two bacteria found to be very useful in genetic engineering experiments are:
- a) *Nitrosomonas* and *Klebsiella* b) *Escherichia* and *Agrobacterium*
 - c) *Nitrobacter* and *Azotobacter* d) *Rhizobium* and *Diplococcus*
82. Gel electrophoresis is used for:

125. Identify the correct match for the given diagram



- a) Electrophoresis – Migration of undigested and digested set of DNA fragments
- b) Bioreactor – Raw materials are biologically converted into specific products
- c) Microinjection – Technique of introducing foreign genes into a host cell
- d) Gene cloning – Technique of obtaining identical copies of a particular DNA segment

126. In DNA fingerprinting which of the following is true?

- a) VNTR is used as probes
- b) Specific metabolic genes are used as probes
- c) House keeping or luxury genes are use as probes
- d) All of the above


127. The message from nuclear DNA for the synthesis of specific cytoplasmic protein is carried by:

- a) mRNA
- b) t-RNA
- c) s-RNA
- d) r-RNA

128. The recent techniques used for separating fragments of DNA is:

- a) Northern blotting
- b) Southern blotting
- c) Eastern blotting
- d) Western blotting

129. The flowchart given below represent the process of recombinant technology. Identify A and D



- a) A-Restriction endonuclease, B-Restriction exonuclease, C-RNA ligase, D-Transformation
- b) A-Restriction endonuclease, B-Restriction endonuclease, C-DNA ligase, D-Transformation
- c) A-Restriction exonuclease, B-Restriction endonuclease, C-DNA polymerase, D-Transduction
- d) A-Restriction endonuclease, B-Restriction endonuclease, C-DNA polymerase, D-Transformation

130. RNA is removed by the treatment with

- a) Ribonuclease
- b) Protease
- c) Chitinase
- d) Cellulase

131. Which one of the following scientists developed the process of DNA fingerprinting?

- a) Kary B. Mullis
- b) T.H. Morgan
- c) H.O. Smith
- d) Alec Jeffreys

132. Which of the following statement is not correct regarding *Eco* RI restriction endonuclease enzyme?

I. *Eco*. RI restriction endonuclease enzyme is isolated from *Escherichia coli* RY13

II. Its recognition sequence is 5'–GAATTC – 3'

3'–CTTAAG – 5'

↓

5' – G – A – A – T – T – C – 3'

III. Its site of cleavage is

3' – C – T – T – A – A – G – 5'

↑

- a) I and II

- b) I and III
 c) I, II and III
 d) None of the above
133. Process of formation of RNA from DNA is called
 a) Transduction b) Transcription c) Transformation d) Translation
134. Which of the following would not be used in preparing recombinant DNA?
 a) Plasmids b) Phages
 c) Restriction enzymes d) DNA polymerase III
135. Which one of the following bacteria has found extensive use in genetic engineering work in plants?
 a) *Agrobacterium tumefaciens* b) *Clostridium septicum*
 c) *Xanthomonas citri* d) *Bacillus coagulans*
136. Which of the following components are used in gel electrophoresis?
 I. Ethidium bromide
 II. Restriction endonuclease
 III. Agarose
 IV. UV radiation
 Choose the correct option
 a) I and II b) I and III c) I, II and IV d) I, II, III and IV
137. What is the first step in Southern Blotting technique?
 a) Isolation of DNA from a nucleated cell such as the one from the scene of crime
 b) Denaturation of DNA on the gel for hybridization with specific probe
 c) Production of group of genetically identical cells
 d) Digestion of DNA by restriction enzyme
138. The most thoroughly studied of the known bacteria-plant interaction is the:
 a) Plant growth simulation by phosphate-solubilising bacteria
 b) Cyanobacterial symbiosis with some aquatic ferns
 c) Gall formation on certain angiosperms by *Agrobacterium*
 d) Nodulation of *Sesbania* stems by nitrogen fixing bacteria
139. Microorganisms can be grown in the bioreactor by
 a) Support growth system b) Agitated growth system
 c) Suspended growth system d) Both (a) and (b)
140. In Northern blotting RNAs are separated by gel electrophoresis and the RNA bands are transferred onto a membrane of:
 a) Diazobenzyl oxymethyl b) Diazobenzene
 c) Diazobromine d) None of the above
141. Which one of the following is commonly used in transfer of foreign DNA into crop plants?
 a) *Trichoderma harzianum* b) *Meloidogyne incognitia*
 c) *Agrobacterium tumefaciens* d) *Penicillium expansum*
142. Which one among the following is just a cloning plasmid not an expression plasmid?
 a) pBAD-18-Cam b) pBCSK c) pUC 18 d) pET
143. There ...A... are the DNA molecules that can carry a foreign ...B... segment into the host cell.
 Here A and B refers to
 A B
 a) Vector RNA b) Vector DNA
 c) Gene RNA d) Gene DNA
144. Probes, used in DNA fingerprinting are initially
 a) Single-stranded RNA b) Mini satellite
 c) 19 base long oligonucleotides d) All of the above
145. Application of PCR are
 I. detection of pathogens
 II. diagnosis of specific mutation

III. DNA fingerprinting


Choose the correct option

- a) I and II b) I and III c) II and III d) I, II and III
146. A clone of sheep Dolly has been made by:
a) Gene transfer b) Somatic cell cloning
c) Nucleus transfer d) Germinal cell cloning
147. T₁-plasmid used in genetic engineering is obtained from
a) *Bacillus thuringiensis* b) *Agrobacterium rhizogenes*
c) *Agrobacterium tumefaciens* d) *Pseudomonas syringae*
148. The role of DNA ligase in the construction of a recombinant DNA molecule is
a) Formation of phosphodiester bond between two DNA fragments
b) Formation of hydrogen bonds between sticky ends of DNA fragments
c) Ligation of all purine and pyrimidine bases
d) None of the above
149. Transgenic animals are produced by injecting foreign gene into the:
a) Egg b) Nucleus of unfertilized egg
c) Nucleus of fertilized egg d) Nucleus of sperm
150. Clonal cell lines can be obtained by:
a) Autoradiography b) Tissue culture c) Centrifugation d) Cell fractionation
151. Electroporation procedure involves:
a) Fast passage of food through sieve pores in phloem elements with the help of electric stimulation
b) Opening of stomatal pores during night by artificial light
c) Making transient pores in the cell membrane to introduce gene constructs
d) Purification of saline water with the help of a membrane system
152. Which of the following is associated with genetic engineering?
a) Plastids b) Plasmids c) Mutations d) Hybrid vigour
153. Biolistics (gene gun) is suitable for
a) Disarming pathogen vectors b) Transformation of plants cells
c) Construction recombinant DNA by joining with vectors d) DNA fingerprinting
154. Which of the following statements are correct for the enzyme *taq* polymerases?
I. *Taq* polymerase is thermally unstable
II. It requires primers for carrying out the process of polymerization
III. *Taq* polymerase is isolated from thermophilic bacterium, *Thermus aquaticus*
Choose the correct option
a) I and II b) I and III c) II and III d) I, II and III
155. EFB stands for
a) European Federation of Biotechnology b) Eurasian Federation of Biotechnology
c) East Asia Federation of Biotechnology d) Ethiopian Federation of Biotechnology
156. The commonly used DNA fingerprinting technique in forensic studies is simply a method involving
a) Southern blotting b) Northern blotting c) Eastern blotting d) Western blotting
157. *Cry* I endotoxins obtained from *Bacillus thuringiensis* are effective against
a) Nematodes b) Bollworms c) Mosquitoes d) Flies
158. In the naming of restriction enzymes the first letter is derived from ...A... name and next two letters from the ...B... and fourth letter from ...C... of ...D... where the enzymes are extracted
A to D in the statement can be
A B C D
a) Genus species strain bacteria b) Species genus strain bacteria
c) Genus species variety eukaryote d) Species genus variety eukaryote
159. Which of the following techniques is most commonly used to separate DNA molecules by size?
a) Chromatography b) PCR c) RFLP d) Gel electrophoresis


160. Which one of the following scientists got the Nobel Prize for his invention polymerase chain reaction (PCR)?
 a) F. Sanger b) Paul Berg c) Alec Jeffreys d) Kary B. Mullis
161. Which is non-invasive technique of genetic counselling?
 a) Amniocentesis b) Chorionic biopsy
 c) Foetal blood sampling d) Ultrasonography
162. The colonies of recombinant bacteria appear white in contrast to blue colonies of non-recombinant bacteria because of:
 a) Insertional inactivation of alpha-galactosidase in non-recombinant bacteria
 b) Insertional inactivation of alpha-galactosidase in recombinant bacteria
 c) Inactivation of glycosidase enzyme in recombinant bacteria
 d) Non-recombinant bacteria containing beta-galactosidase
163. Which of the following steps are catalyzed by *taq* polymerase in a PCR reaction?
 a) Denaturation of template DNA b) Annealing of primers to template DNA
 c) Extension of primer end on the template DNA d) All of the above
164. I. In the process of recombinant DNA technology after several treatment the purified DNA is precipitated by adding chilled ethanol
 II. The bacterial/plant, animal cell is broken down by enzymes to release DNA, along with RNA, proteins, polysaccharides and lipids
 Choose the correct option for above statements
 a) I is true, but II is false b) I is false, but II is true
 c) I and II are true d) I and II are false
165. Which of the statements are correct about bioreactors?
 I. It provides all the optimal conditions for achieving the desired product by providing optimal growth conditions like temperature, pH, substrate, salt, vitamin and oxygen
 II. It is suited for large-scale production of microorganisms under aseptic conditions for a number of days
 Correct option is
 a) Only I b) Only II c) I and II d) None of the above
166. *Taq* polymerase enzyme used in PCR is isolated from
 a) *Thermus aquaticus* b) *Thermococcus litoralis*
 c) *Salmonella typhimurium* d) None of the above
167. The first hormone artificially produced by culturing bacteria is:
 a) Insulin b) Thyroxine c) Testosterone d) Adrenaline
168. A gene is made up of:
 a) DNA b) RNA c) Either DNA or RNA d) Amino acids
169. The first restriction endonuclease type II ...A..., was isolated by Smith, Wilcox and Kelley from ...B... bacterium. It was formed to cut DNA molecules at a particular point by recognizing a specific sequence of six base pairs, known as the ...C... . Here A, B and C can be
 A B C
 a) *Eco* RI *Escherichia* RY 13 Restriction sequence
 b) *Eco* RII *E. coli* R 245 Recognition sequence
 c) *Hind* II *Haemophilus influenza* Recognition sequence
 d) *Bam* HI *Bacillus amyloliquefaciens* Restriction sequence
170. In gel electrophoresis, the separated DNA fragments are visualized after staining the DNA with ...A... followed by exposure to ...B...
 Here A and B refers to
 A B
 a) B-galactosidase Infrared radiation b) Ethidium bromide UV radiation
 c) Ethidium nitrate γ -rays d) Ethidium chloride Radiowave
171. In DNA fingerprinting:

- a) A positive identification can be made
 b) Multiple restriction enzyme digests/generate unique fragments
 c) The polymerase chain reaction amplifies fewer DNA
 d) The variability of repeated sequences between two restriction sites is evaluated
172. Cosmid is:
 a) Extragenetic material in Mycoplasma
 b) Circular DNA in bacteria
 c) Extra DNA in bacteria
 d) Fragment of DNA inserted in bacteria for forming copies
173. Following enzymes/chemical/technique are used in the process of gel electrophoresis
 I. sample DNA is cut into fragments
 II. restriction endonucleases
 III. agarose gel
 IV. ethidium bromide
 V. UV-radiation
 VI. elution
 Mark the correct sequence of their use
 a) I, II, III, VI, V and IV b) I, II, III, VI, V and IV c) IV, V, VI, I, II and III d) I, II, IV, V, VI and III
174. Improvement of genotype of an organism by addition of some foreign genes is:
 a) Genetic diversity
 b) Gene handling
 c) Tissue culture
 d) Genetic engineering
175. Which one is a true statement regarding DNA polymerase used in polymerase chain reaction?
 a) DNA polymerase is responsible for DNA synthesis
 b) It is isolated from Protozoa
 c) It serves as a selectable marker
 d) It is used to ligate introduced DNA in recipient plant cell
176. Most sensitive technique to detect malignant cell in non-hodgkin's lymphoma is
 a) Polymerase chain reaction
 b) Gene therapy
 c) Stem cell therapy
 d) None of the above
177. Gene therapy involves:
 a) Introducing of a normal genes in cell
 b) Eliminating defective and useless genes
 c) Treating of defective genes with radiations
 d) Replacement of defective genes by normal ones
178. Human Genome project was the thought of:
 a) Jean Dausset b) Watson c) Crick d) None of the above
179. Which conserved motifs are found in *E. coli* genes?
 a) TATA box b) CAAT box c) Pribnow box d) All of these
180. Given below is a sample of a portion of DNA strand giving the base sequence on the opposite strands. What is so special shown in it?
 5' _____ GAATTC _____ 3'
 3' _____ CTTAAG _____ 5'
 a) Replication completed b) Deletion mutation
 c) Start codon at the 5' end d) Palindromic sequence of base pairs
181. The DNA used as a carrier for transferring a fragment of foreign DNA into a suitable host is called
 a) Cloning vector b) Vehicle DNA c) Gene carrier d) All of these
182. The nuclease enzyme, which beings its attack from free end of a polynucleotide, is?
 a) Exonuclease b) Kinase c) Polymerase d) Endonuclease
183. Genetically engineered bacterium used in production of:
 a) Thyroxine b) Human insulin c) Epinephrine d) Cortisol
184. In Southern blotting..... is separated by gel electrophoresis:
 a) DNA b) m-RNA c) t-RNA d) Protein

185. Taq polymerase enzyme is found in:
 a) *Thermus aquatecus* b) *E. coli* c) *Pseudomonas* d) *Agrobacterium*
186. The process used for separation of protein in polyacrylamide gel is called:
 a) Southern blotting b) Northern blotting c) Western blotting d) Eastern blotting
187. Which of the following methods(s) is used to introduce foreign DNA into host cells?
 a) Gene gun method b) Gel electrophoresis c) Elution d) Extension
188. The figure shown three steps (A, B, C) of Polymerase Chain Reaction PCR. Select the option giving correct identification together with what represents?



- a) B-denaturation at a temperature of about 98°C separating the two DNA strands
 b) A-denaturation at a temperature of about 50°C
 c) C-extension in the presence of heat stable DNA polymerase
 d) A-annealing with three sets of primers
189. DNA fingerprinting method is very useful for:
 a) DNA tests for identity and relationships b) Forensic studies
 c) Polymorphism d) All of the above
190. Restriction endonucleases are used as:
 a) Molecular build up at nucleotides
 b) Molecular degradation to DNA breakup
 c) Molecular knives for cutting DNA at specific sites
 d) Molecular cement to combine DNA sites
191. After completion of the biosynthetic stage in the bioreactors, the product undergoes. Separation and purification processes, collectively termed as
 a) Transformation b) Transduction
 c) Downstream processing d) Upstream processing
192. Which of the following should be chosen for best yield if one has to produce a recombinant protein or enzyme on a large scale, using microbial plants/animal/human cell?
 a) Stirred-tank bioreactor b) Electrophoresis
 c) Laboratory flask of largest capacity d) All of the above
193. Go through the figure and select the option for C and D. Here A and B are taken as vector/plasmid DNA and foreign DNA respectively




- | | | | |
|--|---|---------------|---------------|
| Restriction enzyme recognizing palindrome C | Enzyme joining the sticky ends D | | |
| a) <i>Eco</i> RI | DNA ligase | b) DNA ligase | <i>Eco</i> RI |
| c) Exonuclease | DNA ligase | d) DNA ligase | Exonuclease |

194. Which of the following is known as molecular scissors of DNA?
 a) Ligase b) Polymerases
 c) Restriction endonucleases d) Transcriptase
195. A kind of biotechnology involving manipulation of DNA is
 a) DNA replication b) Genetic engineering c) Denaturation d) Renaturation
196. Harris and J.F. Watkins in 1965 first time reported the fusion of following cell lines to form hybrids:

- a) Mouse and man
c) Mouse and click erythrocytes
197. Polymerase chain reaction employs
a) Primers and DNA ligase
c) DNA polymerase
198. An antibiotic resistance gene in a vector usually helps in the selection of
a) Competent cells b) Transformed cells c) Recombinant cells d) None of these
199. The collection of bacteria with gDNA is called:
a) DNA clones b) DNA library
c) Genomic DNA library d) cDNA library
200. Which of the following statements are correct with respect to a bioreactor?
I. It can process small volume of culture
II. It provides optimum temperature, pH, salt, vitamins and oxygen
III. Sparged stirred-tank bioreactor is a stirred type reactor in which air is bubbled
Choose the correct option
a) I and II b) I and II c) II and III d) I, II and III
201. PCR and Restriction Fragment Length Polymorphism are the methods for:
a) Genetic transformation b) DNA sequencing
c) Genetic fingerprinting d) Study of enzymes
202. Restriction enzymes may be used for:
a) Making recombinant DNA b) Gene mapping
c) Diagnosis of genetic diseases d) All the above
203. *Vent* polymerase enzyme used in PCR is isolated from
a) *Thermococcus litoralis* b) *Thermus aquaticus*
c) *E. coli* d) *Salmonella typhimurium*
204. Genetically bacteria have been successfully used in the commercial production of:
a) Human insulin b) Testosterone c) Thyroxine d) Melatonin
205. DNA fingerprinting method is very useful for:
a) DNA tests for identity and relationships b) Forensic studies
c) Polymorphism d) All of the above
206. Plasmids are autonomously replicating mini chromosomes found in:
a) Bacteriophage lambda b) *Leishmania donovani*
c) *Escherichia coli* d) *Paramecium caudatum*
207. Production of a human protein in bacteria in genetic engineering is possible because:
a) Bacterial cell can carry out the RNA splicing reactions
b) The human chromosome can replicate in bacterial cell
c) The mechanism of gene regulation is identical in humans and bacteria
d) The genetic code is universal
208. Reverse transcriptase:
a) Disintegrates host DNA b) Translates host DNA
c) Transcribes viral RNA to DNA d) Polymerises host DNA
209. An example of gene therapy is:
a) Production of injectable Hepatitis B vaccine
b) Production of vaccines in food crops like potatoes which can be eaten
c) Production of test tube babies by artificial insemination and implantation of fertilized eggs
d) Introduction of gene for adenosine deaminase in persons suffering from Severe Combined Immuno-Deficiency (SCID)
210. Synthetic DNA or sDNA is:
a) DNA synthesized in lab without any template
b) DNA synthesized in the cell without any template
c) DNA synthesized in the lab, without any nucleotide

- d) DNA synthesized in the cell without any nucleotide
211. Stirred-tank bioreactors have advantages over shake flasks because they
- Provide high temperature and pH
 - Provide better aeration and mixing properties
 - Do not allow the entry of CO₂
 - Are easy to operate
212. During 'gene cloning' which is called a gene taxi?
- Vaccine
 - Plasmid
 - Bacteria
 - Protozoa
213. TATAATG sequence near the RNA start point of prokaryotic promoter is:
- Nicks
 - DNA marker
 - Pallindrome
 - Pribnow box
214. I. Copy number is defined as the number of copies of plasmid present in a cell
II. It varies from 15-100 copies per cell
Choose regarding the above statements
- I is true, II is false
 - II is true, I is false
 - Both are true
 - Both are false
215. Which one of the following hydrolyses internal phosphodiester bonds in a polynucleotide chain?
- Lipase
 - Protease
 - Exonuclease
 - Endonuclease
216. What does Bt stand for the popular crop Bt cotton?
- Best
 - Best type
 - Biotechnology
 - Bacillus thuringiensis
217. Which of the following statement is incorrect?
- Cosmid contains gene coding for viral protein
 - Cosmid replicates like plasmids
 - Cosmid has antibiotic resistant marker gene
 - Cos* site has 12 bases helping to join complete genome to make it circular
218. An attenuated virus:
- Is a virus that is non-pathogenic
 - In an elongated viral particle
 - Can transfer recombinant DNA to other viruses
 - Will not produce an immune response
219. Which of the following has popularized the PCR (polymerase chain reaction)?
- Easy availability of DNA template
 - Availability of synthetic primers
 - Availability of cheap deoxyribonucleotides
 - Availability of 'Thermostable' DNA polymerase
220. Choose the correct statement with reference to 'Dolly':
- She was created by taking nucleus from unfertilized eggs and cytoplasm from unfertilized eggs
 - She was created by taking nucleus from under udder cells and cytoplasm from unfertilized eggs
 - She was created by taking cytoplasm from udder cell and nucleus from unfertilized eggs
 - She was created by taking cytoplasm from udder cell and nucleus from fertilized eggs
221. The first recombinant DNA was constructed by
- Stanley Cohen
 - Herbert Boyer
 - Both (a) and (b)
 - Temin and Baltimore
222. Study the given diagram and identify the enzymes A and B involves in steps I and II



Step I

Step II

- a) *Eco* RI DNA ligase b) *Alu* I DNA ligase
 c) *Hind* II DNA polymerase d) Restriction endonuclease DNA polymerase
223. Which one of the following is a correct statement
 a) "Bt" in "Bt-cotton" indicates that it is a genetically modified organism produced through biotechnology
 b) Somatic hybridization involves fusion of two complete plant cells carrying desired genes
 c) The anticoagulant hirudin is being produced from transgenic *Brassica napus* seeds
 d) "Flavr Savr" variety of tomato has enhanced the production of ethylene which improves its taste
224. The transgenic animals are those which have:
 a) Foreign RNA in all its cell b) Foreign DNA in all its cells
 c) Foreign DNA in some of its cells d) Both 'A' and 'C'
225. Which of the following is not correctly matched for the organism and its cell wall degrading enzyme?
 a) Plant cells-Cellulase b) Algae-Methylase c) Fungi-Chitinase d) Bacteria-Lysozyme
226. Petroleum-lysing bacteria are being engineering for the removal of oil spills. What is the most realistic danger of these bacteria to the environment?
 a) Mutations leading to the production of a strain pathogenic to humans
 b) Extinction of natural microbes due to the competitive advantage of the "petro-bacterium"
 c) Destruction of natural oil deposits
 d) Poisoning of the food chain
227. c-DNA probes are copied from the messenger RNA molecules with the help of:
 a) Restriction enzymes b) Reverse transcriptase
 c) DNA polymerase d) Adenosine deaminase
228. Mishandling of genetic engineering may cause:
 a) Genetic erosion b) Green revolution c) Silver revolution d) White revolution
229. Gene for cloning may be chemically synthesized:
 a) When the exact sequence of nucleotides is known
 b) Through the use of restriction enzymes and gel electrophoresis to separate restriction fragments
 c) By the Sanger method
 d) By making complementary DNA from genes without introns
230. Source of *taq* polymerase used in PCR is a
 a) Thermophilic fungus b) Mesophilic fungus
 c) Thermophilic bacterium d) Halophilic bacterium
231. Genetic engineering has been successfully used for producing:
 a) Transgenic models for studying new treatment for certain cardiac diseases
 b) Transgenic Cow-Rosie which produces high fat milk for making ghee
 c) Animals like bulls for farm work as they have super power
 d) Transgenic mice for testing safety of polio vaccine before sue in humans
232. Which of the following is used as a best genetic vector in plants?
 a) *Bacillus thuringiensis* b) *Agrobacterium fumefaciens*
 c) *Pseudomonas putida* d) None of the above
233. Plants in comparison to animals are more rapidly manipulated by genetic engineering. Select out the most probable reason for this
 a) Totipotency shown by plant cells
 b) Single somatic cell can regenerate a whole plant body
 c) Genetic engineering is supplemented with plant tissue culture techniques
 d) All of the above
234. Which of the following pairs is correctly matched?
 a) Central dogma-Codon b) Okazaki fragments-Splicing
 c) RNA polymerase-RNA primer d) Restriction enzymes-Genetic engineering
235. Recombinant DNA technology is related with:
 a) Stanley Cohen and Harbert Boyer b) Bateson and Punnet
 c) Huxley and Harvey d) Schleiden and Schwann


236. Western blotting technique was developed by:
 a) Alwin b) Edwin c) Towbin d) Thomas
237. In recombinant DNA technique, the term vector refers to a
 a) Donor DNA, it is identified and picked up through electrophoresis
 b) Plasmid, transfers DNA into living cell
 c) Collection of entire genome in form of plasmid
 d) Enzyme, cuts the DNA at specific sites
238. Complete transduction is is:
 a) Transfer of whole genome with the help of virus
 b) Picking up of one or more genes by a phage and transfer it to second host
 c) Integration of gene brought by viral particle into genome of new host
 d) Both B and C
239. The function of polymerase chain reaction (PCR) is:
 a) Translation b) Transduction c) DNA amplification d) None of these

240. The steps involved in the Southern blot test are as follows

- I. X-ray film
- II. Electrophoresis
- III. Digestion with restriction enzyme
- IV. Ethidium bromide
- V. Radioactive probe

Choose the option having correct sequential order of these events

- a) III, II, IV, V and I b) III, IV, II, V and I c) III, II, V, IV and I d) II, IV, III, V and I
241. The given figure is the diagrammatic representation of the *E. coli* vector pBR322. Which one of the given options correctly identifies its certain component(s)?




- a) *Ori*-original restriction enzymes b) *Rop*-reduced osmotic pressure
 c) *Hind* III, *Eco* RI-selectable markers d) *amp*^R, *tet*^R-antibiotic resistance genes
242. The restriction enzyme(s) used in recombinant DNA technology that make staggered cuts in DNA leaving sticky ends is/are
 a) *Eco* RI b) *Hind* II c) *Bam* HI d) All of the above
243. RNA processing is:
 a) An event that occurs after RNA transcribed b) The rejection of old, worn-out RNA
 c) An event that occurs before RNA is transcribed d) Both (A) and (C)
244. Find out the wrong statements
 a) Mobile genetic elements, transposons were visualized by Barbara McClintock
 b) Udder cell and somatic cell is used to produce the cloned sheep by nuclear transplantation method
 c) In pedigree analysis, a person immediately affected by and action is called propositus
 d) DNA ligases are used to cleave a DNA molecule
245. Widely used tool in genetic engineering of crop plants is:
 a) Protoplast fusion b) Transposon
 c) Microinjection d) *Agrobacterium* mediation
246. DNA fingerprinting method is very useful for:
 a) DNA tests for identity and relationships b) Forensic studies

- c) Polymorphism
d) All of the above
247. Who among the following discovered the enzyme restriction endonuclease?
a) Hamilton Othanel Smith
b) Sir Godfrey Hounsfield
c) F. Jacob
d) Andre Lwoff
248. The mobile genetic element is
a) Transposons
b) Mutation
c) Endonuclease
d) Variation
249. The enzyme used for cutting DNA segment in genetic engineering is:
a) ATP-ase
b) Ligase
c) DNA polymerase
d) Restriction endonuclease
250. When the number of genes increases in response to some signal, the effect is called:
a) Gene dosage
b) Gene pool
c) Gene amplification
d) Gene frequency
251. Identify the palindromic sequence in the following
a) $\frac{GAATTC}{CTTUUG}$
b) $\frac{GGATCC}{CCTAGG}$
c) $\frac{CCTGGA}{GGACCT}$
d) $\frac{CGATAC}{GCTAAG}$
252. Colony hybridization procedure for identification of plasmid clones is called:
a) Southern blotting
b) Grunstein-Hogness assay
c) DNA probes
d) Molecular assay
253. The different basic steps of genetic engineering are given below randomly
I. Identification of DNA with desirable genes
II. Gene transfer
III. Maintenance of DNA in host and gene cloning
IV. Introduction of DNA into host to form recombinant DNA
Which of the following represents the correct sequence of steps?
a) I, II, III and IV
b) I, IV, III and II
c) III, IV, II and I
d) I, III, IV and II
254. Which of the following steps are involved in the process of recombinant biotechnology? Arrange in correct order
I. Extraction of the desired gene product
II. Amplification of the gene of interest
III. Isolation of a desired DNA fragment
IV. Ligation of the DNA fragment into a vector
V. Insertion of recombinant DNA into the host
Correct order is
a) I, II, III, IV and V
b) III, II, IV, V and I
c) II, IV, V, III and I
d) I, IV, V, III and II
255. In bacteria, genes for antibiotic resistance are usually located in:
a) Chromosomal DNA
b) Cytoplasm
c) Mitochondria
d) Plasmids
256. Natural genetic engineer is:
a) *Bacillus subtilis*
b) *Pseudomonas spp*
c) *Escherichia coli*
d) *Agrobacterium tumefaciens*
257. A number of bacteria with recombinant DNA of same type form:
a) Clone library
b) Gene library
c) Gene pool
d) Gene frequency
258. I. ...A... is the ability of a cell to take up foreign DNA
II. The cell is treated with specific concentration of a divalent cation such as ...B... to increase pore size in cell wall
III. In ...C... method recombinant DNA is directly injected into the nucleus of an animal cell
The most appropriate option regarding A, B and C is
a) A-Competency, B-Calcium, C-gene gun method
b) A-Transformation, B-Sodium, C-microinjection method
c) A-Competency, B-Calcium, C-microinjection method
d) A-Transformation, B-Sodium, C-gene gun method
259. T₁ plasmid is used for making transgenic plants. It is obtained from:
a) Azotobacter
b) Agrobacterium

c) Rhizobium in leguminous root

d) Yeast

260. Identify and match the labelled items A, B, C, D, E, F and G in the diagram below from the list I-VII given with components



I. DNA polymerase

II. plasmid

III. plasmid with 'sticky ends'

IV. DNA ligase

V. restriction endonuclease

VI. recombinant DNA

VII. reverse transcriptase

The correct components are

A B C D E F G

a) VII I II V III IV VI

b) VII VI V IV III II I

c) VII V III I II IV VI

d) I II IV VI III V VII

261. A technology which has found immense use in solving cases of disputed parentage is:

a) DNA fingerprinting

b) Polymerase chain reaction

c) Recombinant DNA technology

d) Monoclonal antibody production

262. The most important feature in a plasmid to be used as a vector is

a) Origin of replication

b) Presence of a selectable marker

c) Presence of sites for restriction endonuclease

d) Its size

263. DNA gyrase, the enzyme that participates in the process of DNA replication is a type of

a) DNA ligase

b) DNA polymerase

c) DNA topoisomerase

d) Reverse transcriptase

264. Abnormal gene is replaced by normal gene through:

a) Gene therapy

b) Medicines

c) Cloning

d) Radiation

265. The key tools required for the recombinant DNA technology are

I. restriction enzymes II. Polymerase enzymes

III. host organism ligases IV. Vectors

V. host organisms

Select the correct option

a) I, II and III

b) I, III, IV and V

c) I, II, III and V

d) I, II, III, IV and V

266. A tumour inducing plasmid widely used in the production of transgenic plants in that of:

a) *Escherichia coli*

b) *Bacillus thuringiensis*

c) *Staphylococcus aureus*

d) *Agrobacterium tumefaciens*


267. Which one of the following palindromic base sequences in DNA can be easily cut at about the middle by some particular restriction enzyme?

a) 5' _____GATATG_____3'

3' _____CTACTA_____5'


b) 5' _____GAATTC_____3'

- c) By subjecting the DNA to gel electrophoresis
d) By treating the DNA with restriction endonucleases
281. Transgenic organisms are produced by:
a) Deleting sex chromosomes
b) Inducing gene mutations
c) Introducing foreign genes
d) Arresting spindle fibre formation
282. Manipulation of gene and genetic material by man is a fast emerging branch of science which started with the formation of recombinant DNA molecules. This branch of science is named as
a) Recombinant DNA technology
b) Genetic engineering
c) DNA manipulation biotechnology
d) All of the above
283. Ligases catalyse the formation of bonds between
a) C = C
b) P = O
c) C - C
d) H - H
284. The characteristics of a molecular probe are
I. very long molecule
II. double-stranded
III. DNA or RNA
IV. complementary to a part of desired gene
The correct pair is
a) I and II
b) II and III
c) III and IV
d) IV and I
285. VNTR analysis involves
a) Analyzing specific loci for two base repeating units usually less than 100 bp in size
b) Analyzing specific loci for 2-4 bp repeating units
c) PCR amplification of specific genes
d) Cutting DNA with restriction enzyme and analyzing the banding pattern of fragments
286. Manipulation of DNA in genetic engineering became possible due to the discovery of
a) Restriction endonuclease
b) DNA ligase
c) Transcriptase
d) Primase
287. Study the given figure carefully and select the correct statements regarding this



- I. It represents typical agarose gel electrophoresis which showing differential migration of DNA fragments
II. Lane 1 contains undigested DNA fragments
III. Lanes 2 to 4 contains digested DNA fragment
IV. Smallest DNA bands are present at (A) position and largest DNA bands are present at (B) position
a) I, II and III
b) I, II and IV
c) II and III
d) III and IV
288. Matching sequence of DNA between two evidences, one of the criminal with the suspect is known as:
a) DNA fingerprinting
b) DNA amplification
c) Gene mapping
d) DNA resolution
289. Alec Jeffreys developed the DNA fingerprinting technique. The probe he used was
a) Ribozyme
b) Sex chromosomes
c) SNP
d) VNTR
290. In addition to *taq* polymerase enzyme which other thermostable DNA polymerases have been isolated to be used in Polymerase Chain Reaction (PCR)?
a) *Vent* polymerase
b) *Pfu* polymerase
c) Both (a) and (b)
d) None of these
291. PCR proceeds in three distinct steps governed by temperature. They are in order of
a) Denaturation, synthesis (polymerization), annealing
b) Annealing, synthesis (polymerization), denaturation
c) Synthesis (polymerization), annealing, denaturation
d) Denaturation, annealing, synthesis (polymerization)
292. One of the following is transgenic of organisms:

- a) Holly sheep and Flavr savr tomato
 c) Dolly sheep and Cotton Ct
- b) Holly sheep and Cotton Bt
 d) Flavr savr tomato and Cotton Bt
293. Name of the drug used in cancer treatment produced by using biotechnology is:
 a) HGH b) TSH c) Insulin d) Interferon
294. What is the function of Restriction endonuclease?
 a) Restricts the synthesis of DNA inside the nucleus
 b) Synthesizes DNA
 c) Cuts the DNA molecule randomly
 d) Cuts the DNA molecule at specific sites
295. I. Bacteriophages are ...A... nfectecting ...B... .
 II. ...C... are hybrid vectors derived from plasmids which contain or site of λ phage
 A, B and C in above statements refers to
 A B C
 a) Protozoa Bacteria Cosmid b) Plasmid Virus Cosmid
 c) Bacteria Virus Cosmid d) Virus Bacteria Cosmid
296. In gel electrophoresis, the separated bands of DNA are cut out and extracted from the gel piece. This step is called
 a) Elution b) Origin replication c) Competency d) Transformation
297. Nif genes is a group of proteins:
 a) 15 genes b) 15 nucleotides c) 15 proteins d) 10 genes
298. Identify the following diagrams *A* and *B* and select the correct option



- a) A-Simple stirred-tank bioreactor, B-Sparged stirred-tank bioreactor
 b) A-Sparged stirred-tank bioreactor, B-Complex stirred-tank bioreactor
 c) A-Sparged stirred-tank bioreactor, B-Simple stirred-tank bioreactor
 d) A-Simple stirred-tank bioreactor, B-Complex stirred-tank bioreactor
299. Genetic engineering is helpful in:
 a) Gene regulation b) Gene translation c) Gene therapy d) Alcohol production
300. Significance of heat shock method in bacterial transformation is facilitate
 a) Binding of DNA to the cell wall b) Uptake of DNA through membrane transport proteins
 c) Uptake of DNA through transient pores in the bacterial cell wall d) Expression of antibiotic resistance gene
301. A technique used to make numerous copies of a specific segment of DNA quickly and accurately:
 a) Ligase chain reaction b) Transcription
 c) Polymerase chain reaction d) Translation

302. Two microbes found to be very useful in genetic engineering are:
- Diplococcus sp. and Pseudomonas sp.
 - Crown gall bacterium and Caenorhabditis elegans
 - Escherichia coli and Agrobacterium tumefaciens
 - Vibrio cholerae and a tailed bacteriophage
303. Minisatellite or Variable Number Tandem Repeat (VNTR) are used in
- Gene therapy
 - Gene mapping
 - DNA fingerprinting
 - Restriction enzymes
304. Having become an expert on gel electrophoresis, you are asked to examine a gel for a colleague. Where would you find the smallest segment of DNA?
- Near the positive electrode, farthest away from the wells
 - Near the negative electrode, close to the wells
 - Near the top, near the negative pole
 - Near the middle they tend to slow-down after the first few minutes
305. Improvement of genotype of an organism by addition of some foreign genes is:
- Genetic diversity
 - Gene handling
 - Tissue culture
 - Genetic engineering
306. The structure involved in genetic engineering is
- Codon
 - Anticodon
 - Vector
 - Plasmid
307. In agarose gel electrophoresis, DNA molecules are separated on the basis of their
- Charge only
 - Size only
 - Charge to size ratio
 - All of these
308. In gel electrophoresis, the sample DNA is cut into fragments by
- Restriction endonucleases
 - Exonuclease
 - Endonuclease
 - Anhydro L-galactose
309. Molecular scissors, which cut DNA at specific site:
- Ligase
 - Cellulase
 - Pectinase
 - Polymerase
310. PCR stands for:
- Polymerase Cyclic Reaction
 - Polymerase Chain Reaction
 - Polyethyl Cytosine Reaction
 - Polymerization Chain Reaction
311. In case of polymerase chain reaction, temperature, required for the steps
- Denaturation
 - Annealing
 - Extension
- A-94°C, B-40°C, C-72°C
 - A-40°C, B-72°C, C-94°C
 - A-72°C, B-94°C, C-40°C
 - A-94°C, B-72°C, C-40°C
312. DNA can be introduced into any cell by:
- Injection
 - Being complexed with calcium salts
 - Being placed along with the cell into a gene gun
 - Gel electrophoresis
313. An improved variety of transgenic basmati rice:
- Gives high yield and is rich in Vitamin A
 - Is completely resistant to all insect pests and diseases of paddy
 - Gives high yield but has no characteristic aroma
 - Does not require chemical fertilizers and growth hormones
314. Which of the following organelles is associated with genetic engineering?
- Plastids
 - Plasmids
 - Chloroplast
 - Mitochondria
315. Human genome contains about:
- 10,000 nucleotides
 - 10,000 genes
 - 6 billion nucleotides
 - 6 billion genes
316. An artificial process of infecting cells with naked viral DNA is:
- Translation
 - Transduction
 - Transfection
 - Transgenic
317. Match the correct one:

- a) RNA Polymerase-RNA primer
 c) Restriction enzyme-genetic engineering
- b) Respiration-Lysosome
 d) Central dogma-DNA structure


318. For transformation, microparticles coated with DNA are to be bombarded with gene gun are made up of:

- a) Platinum or Zinc b) Silicon or Platinum c) Gold or Tungsten d) Silver or Platinum

319. You are attempting to introduce a gene that imparts larval moth resistance to bean plants. Which of the following vectors are you most likely to use?

- a) Phage DNA b) Bacterial plasmid c) Ti plasmid d) Yeast plasmid

320. Simple stirred-tank bioreactor is given below. Identify A,B,C,D and E



	A	B	C	D	E
a)	Motor	Foam braker	Sterile air	Steam for sterilization	Acid/Base of pH control
c)	Acid/Base of pH control	Motor	Foam braker	Sterile air	Steam for sterilization

b)	Foam braker	Sterile air	Steam for sterilization	Acid/Base of pH control	
d)	Sterile air	Steam for sterilization	Foam braker	Motor	Acid/Base of pH control

321. Protein engineering is used to study the proteins to compare the catalytic properties of:

- a) Normal and mutated form of enzyme
 c) Mutated form of enzyme
- b) Normal form of enzyme
 d) Normal and mutated form of proteins

322. Genes that are involved in turning on or off the transcription of a set of structural genes are called:

- a) Polymorphic genes b) Operator genes c) Redundant genes d) Regulatory genes

323. The experimental manipulation of DNA of different species, producing recombination DNA is known as

- a) Gel electrophoresis
 c) Genetic engineering
- b) Transformation
 d) Replication technology

324. Plasmid is used as carrier because:

- a) It has both ends with replicating points
 b) It has no free ends
 c) It is circular DNA with a capacity of binding with eukaryotic DNA
 d) All of the above

325. Which of the following statement is correct in the context of observing DNA separated by agarose gel electrophoresis?

- a) DNA can be seen in visible light
 b) DNA can be seen without staining in visible light
 c) Ethidium bromide stained DNA can be seen in visible light
 d) Ethidium bromide stained DNA can be seen under exposure to UV light

326. Nitrogen fixing genes are called:

- a) 'Nif' genes b) Plasmid genes c) Leg genes d) Cos genes

327. The genetically-modified (GM) brinjal in India has been developed for:

- a) Enhancing shelf life
 c) Drought-resistance
- b) Enhancing mineral content
 d) Insect-resistance

328. Variable number of tandem repeats (VTNRs) in the DNA molecule are highly useful in:

- a) Monoclonal antibody production
- c) Recombinant DNA technology


- b) DNA fingerprinting
- d) Stem cell culture

329. Protoplasts of two different species are fused in:

- a) Clonal propagation
- c) Micropropagation

- b) Organography
- d) Somatic hybridization

330. Identify the correct match for the given diagram



Apparatus function

- a) Gene gun - Vectorless direct gene transfer
- b) Electrophoresis - Differential migration of DNA fragments
- c) Bioreactor - Raw materials are biologically converted into specific products
- d) Respirometer - Finding out rate of respiration

331. DNA fingerprinting technique was first developed by:

- a) Jeffreys, Wilson and Thein
- b) Schleiden and Schwann
- c) Edward and Steptoe
- d) Boysen and Jensen

332. Using recombinant technology, genes from a donor cell can be transplanted into a bacterium for DNA replication and protein synthesis. The kinds of cells that can be used as a donor in this technology are

- a) Bacteria
- b) Either yeast or bacteria
- c) Eukaryotic cells
- d) Any kind of cell

333. Transformation is defined as the procedure by which a piece of ...A... is introduced into a ...B... host. Here A and B refers to

- | | | | |
|--------|----------|--------|----------|
| A | B | | |
| a) RNA | Virus | b) DNA | Bacteria |
| c) RNA | Bacteria | d) DNA | Virus |